

RECEIVED
CENTRAL FAX CENTER

JUN 06 2006

Serial No. 09/497,801
Docket No. YOR999-201
YOR.093**AMENDMENTS TO THE CLAIMS:**

Please cancel claims 26, 27, 31, 42 and 43 without prejudice or disclaimer and amend the claims as follows:

1. (Currently Amended) A method of linking domain knowledge to document knowledge, comprising:

rendering document knowledge as textual components with variable fields;

building an object-oriented domain model comprising domain knowledge, wherein said building an object-oriented domain model comprises organizing data input by a user into said domain model; and

linking said document knowledge to said domain knowledge, by linking said domain knowledge to document knowledge variables, said domain knowledge comprising domain knowledge elements, and said domain knowledge elements are dynamically linked to said document knowledge variables through an object model access expression; and

re-evaluating the object model access expression of each of said document knowledge variables whenever the domain model is reorganized.

2. (Previously Presented) The method according to claim 1, wherein said document knowledge variables are linked to domain knowledge elements in said domain model, such that if rules and constraints are tailored or developed to maintain consistency of the domain model, a document model will be affected.

3. (Previously Presented) The method according to claim 1, wherein elements in the domain model influence what appears in a rendered document.

Serial No. 09/497,801
Docket No. YOR999-201
YOR.093

4. (Original) The method according to claim 1, wherein said domain model comprises an explicit domain model which is reusable for a plurality of documents.
5. (Previously Presented) The method according to claim 1, wherein said object-oriented domain model is independent of any document to be rendered, said domain model being usable for any of a plurality of documents and consistency of a document model is maintained based on said linking.
6. (Original) The method according to claim 1, wherein a plurality of documents are configurable from the domain model.
7. (Original) The method according to claim 1, wherein said domain model comprises a stand-alone domain model, which is built separate and independent from a document.

Claims 8-20. (Canceled)

21. (Currently Amended) A system for linking domain knowledge to document knowledge, comprising:
- means for rendering document knowledge as textual components with variable fields;
 - means for building an object-oriented domain model comprising domain knowledge,
- wherein said building an object-oriented domain model comprises organizing data input by a user into said domain model; and

Serial No. 09/497,801
Docket No. YOR999-201
YOR.093

means for loosely coupling said document knowledge to said domain knowledge, by linking said domain knowledge to document knowledge variables, said domain knowledge comprising domain knowledge elements, and said domain knowledge elements are dynamically linked to said document knowledge variables through an object model access expression; and
means for re-evaluating the object model access expression of each of said document knowledge variables whenever the domain model is reorganized.

Claims 22-24. (Canceled)

25. (Currently Amended) A signal-bearing medium tangibly embodying a program of machine readable instructions executable by a digital processing apparatus to perform a computer-implemented method of linking domain knowledge to document knowledge, said method comprising:

rendering document knowledge as textual components with variable fields;

building an object-oriented domain model comprising domain knowledge, wherein said building an object-oriented domain model comprises organizing data input by a user into said domain model; ~~and~~

linking said document knowledge to said domain knowledge, by linking said domain knowledge to document knowledge variables, said domain knowledge comprising domain knowledge elements, and said domain knowledge elements are dynamically linked to said document knowledge variables through an object model access expression; and

re-evaluating the object model access expression of each of said document knowledge variables whenever the domain model is reorganized.

Serial No. 09/497,801
Docket No. YOR999-201
YOR.093

26-27. (Canceled)

28. (Currently Amended) The method according to claim 1 27, wherein each of said document knowledge variables is assigned an object model access expression.

29. (Currently Amended) The method according to claim 1 27, further comprising:

enforcing the link between said domain knowledge and said document knowledge whenever a change occurs in at least one of said object model access expression of one of said document knowledge variables and said domain model.

30. (Currently Amended) The method according to claim 1 27, further comprising:

evaluating the object model access expression of each of said document knowledge variables and linking the document knowledge variables to appropriate domain knowledge elements whenever new document knowledge is inputted.

31. (Canceled)

32. (Currently Amended) The method according to claim 1 26, wherein said document knowledge variables are linked to said domain knowledge elements by selecting specific properties from the domain model by an object representation and access language,

wherein said object representation and access language (ORAL) comprises a plurality of ORAL expressions.

Serial No. 09/497,801
Docket No. YOR999-201
YOR.093

33. (Previously Presented) The method according to claim 32, wherein if a first ORAL expression of said plurality of ORAL expressions comprises a single identifier, then the first ORAL expression corresponds to a domain knowledge element.

34. (Previously Presented) The method according to claim 32, wherein if a first ORAL expression comprises an identifier pre-appended to a second ORAL expression and the second ORAL expression corresponds to a domain knowledge element, then the identifier corresponds to a property of the domain knowledge element and said first ORAL expression corresponds to the property of the domain knowledge element.

35. (Previously Presented) The method according to claim 32, wherein if a first ORAL expression comprises an identifier pre-appended to a second ORAL expression and the second ORAL expression does not correspond to a domain knowledge element, then said first ORAL expression does not correspond to anything.

36. (Previously Presented) The method according to claim 32, wherein if a first ORAL expression comprises an identifier and said identifier does not correspond to a domain knowledge element, then said first ORAL expression does not correspond to anything.

37. (Currently Amended) A method of generating documents, comprising:
rendering document knowledge as textual components with variable fields;

Serial No. 09/497,801
Docket No. YOR999-201
YOR.093

building an object-oriented domain model comprising domain knowledge, wherein said building an object-oriented domain model comprises organizing data input by a user into said domain model; ~~and~~

linking said document knowledge to said domain knowledge, by linking said domain knowledge to document knowledge variables, said domain knowledge comprising domain knowledge elements, and said domain knowledge elements are dynamically linked to said document knowledge variables through an object model access expression; and

re-evaluating the object model access expression of each of said document knowledge variables whenever the domain model is reorganized.

38. (Currently Amended) The method according to claim 1, ~~wherein said domain knowledge comprises domain knowledge elements, said domain knowledge elements being linked to said document knowledge variables,~~

~~wherein said domain knowledge elements are dynamically bound to said document knowledge variables through an object model access expression,~~

~~wherein said method further comprising: comprises:~~

enforcing the link between said domain knowledge and said document knowledge whenever a change occurs in at least one of said object model access expression of one of said document knowledge variables and said domain knowledge; and

evaluating said object model access expression of said document knowledge variables and linking them to appropriate domain knowledge elements whenever new document knowledge is inputted, ~~inputted~~, and

Serial No. 09/497,801
Docket No. YOR999-201
YOR.093

~~re-evaluating the object model access expression of each of said document
knowledge variables whenever the domain model is reorganized,~~

wherein elements of said domain model are dynamically manipulated during an
interactive configuration of a document.

39. (Previously Presented) The method according to claim 1, wherein elements of said
domain model are dynamically manipulated during an interactive configuration of a document.

40. (Previously Presented) The method according to claim 1, wherein elements of said
domain model are dynamically manipulated by a system software during an interactive
configuration of a document.

41-43. (Canceled)

44. (Previously Presented) The method according to claim 1, further comprising:
asserting declarative links between existing knowledge structures.